



Englisch

STYLE, INDIVIDUALITY AND EXCLUSIVITY
THE NEW LOOK OF DESIGN



FALQUON
EXCLUSIVE SURFACES

Style, individuality and exclusivity The new look of design

Everything is possible. Modern living, effective presentation at trade fairs and comfortable working environments are boundlessly individual. Pure, glamorous or vintage - important are only style, design and creativity. Besides furniture and accessories an exclusive floor design is a key part of a room, that can create a special ambience in an apartment, a home, a trade fair stand or commercial areas. With the FALQUON Exclusive collection, variety and individualization are possible. Our Floors make every room come to life.

You want more? FALQUON offers you more! More quality, more variety, more creativity, more design and more comfort. And FALQUON offers something innovating and unique: all our lacquered surfaces are solely produced with electronic beam hardened surfaces. This modern „EBC-Technology“ allows us to absolutely abstain from solvents. Your advantage: Surfaces, which fulfill the highest demands of resistance, exclusivity and healthy living while being easy on the environment.

Collections

colorita | quadro

blue line wood | blue line stone | blue line uni | blue line nature | blue line classic

quadraic





1000 1010 1020 1030 1040	2200 2210 2220 2230 2240	3400 3410 3420 3430 3440	4000 4010 4020 4030 4040	4500 4510 4520 4530 4540	6200 6210 6220 6230 6240	8000 8010 8020 8030 8040	9100 9110 9120 9130 9140
1100 1110 1120 1130 1140	3000 3010 3020 3030 3040	3500 3510 3520 3530 3540	4100 4110 4120 4130 4140	5000 5010 5020 5030 5040	7000 7010 7020 7030 7040	8100 8110 8120 8130 8140	9200 9210 9220 9230 9240
1200 1210 1220 1230 1240	3100 3110 3120 3130 3140	3600 3610 3620 3630 3640	4200 4210 4220 4230 4240	5100 5110 5120 5130 5140	7100 7110 7120 7130 7140	8200 8210 8220 8230 8240	9300 9310 9320 9330 9340
2000 2010 2020 2030 2040	3200 3210 3220 3230 3240	3700 3710 3720 3730 3740	4300 4310 4320 4330 4340	6000 6010 6020 6030 6040	7200 7210 7220 7230 7240	8300 8310 8320 8330 8340	9400 9410 9420 9430 9440
2100 2110 2120 2130 2140	3300 3310 3320 3330 3340	3800 3810 3820 3830 3840	4400 4410 4420 4430 4440	6100 6110 6120 6130 6140	7300 7310 7320 7330 7340	9000 9010 9020 9030 9040	9500 9510 9520 9530 9540

Colorita

Individuality meets creativity.

Surface
Panel size
Box
Utility class

Highgloss or Supermatt
644 x 310 x 8 mm
10 panels = 1,996 m²
32 | AC 4



Colorita – we are producing 200 different plain-coloured decors with trendy high gloss or super matt structures for you from only 15 sqm per colour. Let your creativity flow and choose your favourite colour from our available colour chart.






Q1005 Porcelato Naturo



Q1002 Porcelato Chiaro



Q1001 Porcelato Grigio



D2935 weiß



U190 schwarz

◀ MT




Q1006 Marmorata Nera



Q1003 Marmorata Grigia



Q1004 Marmorata Chiara



D2935 weiß



U190 schwarz

◀ HG

Quadro

Square handy beautiful.

Surface

Highgloss or Supermatt

Panel size

610 x 610 x 8 mm

Box

6 panelse = 2,233 m²

Pallet

49,13 m² = 370 kg


22 boxes


Utility class

32 | AC 4




Big squared tiles are trendy. Warm coloured concrete design, black or white in highgloss or matt surface which can be installed in chess pattern – the new Quadro series opens complete new ideas in room design – and the installation is a childsplay,






D2913 Canyon Andiroba



D2917 Canyon Koa Perfect




D3546 Prignitz Pine




D3545 Winzer Oak



D2919 Canyon Plum



D4181 Aragon Oak




D4187 White Oak




D4188 Morris Walnut



D2920 Plateau Maple



D3685 Old Havanna



D3686 Canyon Black Oak



D2918 Canyon Moradillo

Blue Line Wood

The comfortable.

Surface

Highgloss

Panel size

1.380 x 193 x 8 mm

Box

8 panels = 2,131 m²

Pallet

68,18 m² = 510 kg

Utility class

32 boxes

32 | AC 4



D4189 Victorian Oak



D2916 Plateau Merbau



D4186 Sonoma Oak



D3687 Oak Auxerre



D3688 Malt Oak




D3718 Wild Maple

The natural look of selected wood designs is boosted by the luminous effect of the high gloss surface. Perfect for living areas and light to medium use commercial areas.

The collection contains trendy decors as well as a classical design. Because of the high gloss surface, each pattern has an even higher contrast and achieves a deep colour at the same time.





D2909 Botticino Classico Dark



D2911 Botticino Classico Light



D2921 Carrara Marble



D4179 Grizzly Slate



D2908 Labrador Larvik



D4178 Monreal Slate



D3547 Loft



D8434 Piasentina

Blue Line Stone

The perfect natural aesthetics.

Surface

Highgloss

Panel size

644 x 310 x 8 mm

Box

10 panels = 1,996 m²

Pallet

83,83 m² = 620 kg


42 boxes

Utility class

32 | AC 4




D3528 Solino



D3527 Pindos

A classical tile look spoils the eyes, the feet stay warm – contrary to tiled floors - comfortably warm.
A high gloss floor – as authentic as natural stone.






D2935 Uni white HG




U190 Uni black HG



D3550 Uni grey HG



U148 Uni red HG



D2935 Uni white HG (without groove)*




U190 Uni black HG (without groove)**




D3550 Uni grey HG (without groove)**



U148 Uni red HG (without groove)**



D2935 Uni white MT (without groove)**



U190 Uni black MT (without groove)**



D3550 Uni grey MT (without groove)**

Blue Line Uni

For a polished appearance.

Surface

Highgloss or Supermatt

Panel size

644 x 310 x 8 mm

*1.295 x 310 x 8 mm

**1.295 x 310 x 8 mm

Box

10 panels = 1,996 m²

*6 panels = 2,409 m²

**6 panels = 2,409 m²

Pallet

83,83 m² = 620 kg

*144,52 m² = 1.095 kg

**86,72 m² = 655 kg

42 boxes

*60 boxes

**36 boxes

Utility class

32 | AC 4




For modern living areas design, commercial interior equipment,
retail, or catering trade.
Great colour effects with unique gloss suit modern as well as
classical interior.





D4189 Victorian Oak OC



D4187 White Oak OC



D4186 Sonoma Oak OC



D 4189 Victorian Oak SL



D4187 White Oak SL



D4186 Sonoma Oak SL

Blue Line Nature

Some like it matt.

Surface

Supermatt

Panel size

1.380 x 114 x 8 mm

Box

10 panels = 1,573 m²

Pallet

66,07 m² = 500 kg

42 boxes

Utility class

32 | AC 4



Just feel it – the touch is similar to natural wood.

Combined with integrated synthetic or aluminium inlay the impressive flooring is born.

Speaking impressive: the floor leaves no traces of neither foot, nor fingerprints.



D3516 Maryland Oak SL



D3530 Oregon Oak SL




D3531 Virginia Oak SL




D3900 Montana Oak SL



D3516 Maryland Oak OC



D3530 Oregon Oak OC



D3531 Virginia Oak OC



D3900 Montana Oak OC

Blue Line Classic

Classic elegance.

Surface	Woodgrain (WG)
Panel size	1.380 x 114 x 8 mm
Box	10 panels = 1,573 m ²
Pallet	66,07 m ² = 500 kg
	42 boxes
Utility class	32 AC 4



Take a high quality laminate flooring, cut it into narrow planks and integrate a synthetic or aluminium inlay. These steps we are happy to do for you – to enjoy the floor is yours.







Q001 Mosaic



Q002 Black & White



Q004 Palazzo



Q005 Terracotta



Q006 Relief White



Q010 Emeraude



Q012 Pepiso



Q013 Agura

Quadraic

Flooring for unique living.

Surface	Supermatt
Panel size	644 x 310 x 8 mm
Box	10 panels = 1,996 m ²
Pallet	83,83 m ² = 620 kg
	42 boxes
Utility class	32 AC 4



Inspired by colourful mediterranean tiles and discreet earth colours the product range Quadraic gives your rooms a new identity in a blink. The floor which makes fun – don't be shy!



Structures, surfaces



Highgloss



Supermatt



WG-Structure (Classic)

Besides their perfect look, all Falquon collections convince with an electronic beam finish and selected authentic surfaces.

... Accessories, cleaning and care

You like it perfect? We do too, this is why we offer you an extensive accessory program including the fitting baseboards aswell as fixing material.



Wall mounting via clip

Accessories

Skirting boards
(matching colour)

Clips

PU

10 pcs. (2.400 x 58 x 19 mm)

30 pcs./pack | 50 packs/box



Wipe with a damp cloth

Simply clean with a damp cloth - done.
More extensive cleaning and caring references
can be found at: www.falquon.com

Electronic-Beam-Curing (EBC) – High technology in lacquer drying

Unsaturated acrylic lacquers can be cured by UV light or electron beams.

Electron-beam-curing is a considerably more elaborate procedure but offers following advantages:

Qualitative Advantages

The process of curing lacquer with electron beams builds highly cross-linked macromolecules.

These are mechanically as well as chemically extremely stable.

On this basis the floors withstand the highest impacts in scratch and chemical resistance.

The flooring therefore combines discernible comfort and an exclusive look with a high quality product for varied areas of use.

Ecological Advantages

Modern production techniques ensure we meet the highest level of process security and quality.

The resource friendly selection of materials and their use underlines the environmentally friendly and non-irritating nature of our products. The emission neutral production process makes an active contribution to climate protection, as the environment is not burdened through the production process.

Advantages of an EBC finish (in comparison to melamine and UV coated surfaces)

Characteristic	EBC coating	UV coating	melamine coating
Comfort/Bare foot feel	■ soft, warm	■ soft, warm	■ cold
Chemical resistance	■ very high	■ high	■ high
Scratch resistance	■ very high	■ high	■ high
Micro-scratch resistance	■ very high	■ high	■ high
Degree of gloss (High gloss)	■ many levels of gloss	■ difficult	■ complicated
UV resistance (Colourfast under direct sunlight)	■ very high	■ high	■ low
Brittleness (Risk of splintering under impact)	■ very low	■ low	■ high
Cross-linking (Necessary for a permanent finish)	■ complete	■ not complete	■ not applicable

Technical Spezifications

Acc. EN16511:2014

Test	Test method	Characteristics
Formaldehyde emission	EN 717-1	E1, < 0,05 ppm
Resistance to staining	EN 438-2	group 1+2: level 5 group 3: level 4
Light fastness	EN ISO 105-B02 EN 20 105-A02	> level 6 blue wool scale > level 4 grey scale
Fire resistance	EN 13501-1	Ignites with difficulty, at least C _f -s1
Height difference between Connctected elements	ISO 24337	average: ≤ 0,10 mm max: ≤ 0,15 mm
Edge straightness	ISO 24337	≤ 0,3 mm/m
Openings betwee connected elements	ISO 24337	average: ≤ 0,15 mm max: ≤ 0,20 mm

Test	Test method	Characteristics
Static indentation	EN ISO 24343-1	$\leq 0,2$ mm
Microscratch resistance	EN 16094	\leq MSR – A2
Abrasion resistance	EN 15468, App. A EN 13329, App. E	AC4, ≥ 3.000 cycles AC4, ≥ 1.200 cycles
Impact resistance	EN 13329, Anhang H	≥ 1.200 mm
Thickness swelling	ISO 24336	$\leq 18,0$ %
Castor chair test	EN 425	25.000 cycles
Classification	EN ISO 10874	

Characteristics



low maintenance & hard-wearing



largely resistant to cigarette burns



durable & impact resistant



stain resistant



non-fading and retain their brilliance over many years



abrasion resistant



flame resistant



comfortable underfoot



well-suited for installation over subfloor heating



produced from natural sustainable raw materials

Besondere Eigenschaften



V-Groove



pre-installed aluminium inlays on long end side (SL) or PP inlay (OC)



high gloss surface

Our guarantee

FALQUON GmbH (hereafter: FALQUON) provides buyer, in addition to the unencumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface **(15 years for domestic use, 3 years for commercial use)**. It extends from the date of purchase and covers the products as follows:

Conditions

Before and during installation FALQUON floors must be checked for any defects. No liability is accepted for installed floors despite visible defects. FALQUON floors must be installed properly according to the instructions, in a dry room and in accordance with the respective utility class.

Abrasion areas on FALQUON floors must be clearly visible and at least 1 square cm in size, and in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress.

Validity of guarantee is dependent on regular cleaning and maintenance of FALQUON floors as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and under presentation of the original receipt from the retailer. FALQUON reserves the right to examine the claimed floor on site.

Guarantee

In cases which fall under guarantee, FALQUON will deliver a replacement for the damaged goods. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current FALQUON product line. Since an annual 10% depreciation in the value of FALQUON floors can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the buyer. No liability is accepted for further damages, like costs for installation, for reinstallation or transport-costs.

Indications

All the depicted colours and decors are non-binding. Please note that, due to technical reasons, the colour and decor examples in this prospectus may vary. Technical changes reserved. FALQUON assumes no liability for misprints or errors. Tests solely refer to the wear layer.



FALQUON GmbH
Am Hünengrab 18 | D-16928 Pritzwalk | Gewerbegebiet Falkenhagen

Telefon: +49 33986 5021-10 | Fax: +49 33986 5021-19
E-Mail: info@falquon.de | Internet: www.falquon.de

Retailer: