

LAMINATE FLOORING

COLLECTION 2020 - 2021



WHY YOUR HOME NEEDS SOME VITALITY?

1. VIVID DESIGNS

Discover vivid designs with intense colours from light to dark, with matt and realistic structures: natural touch (embossed) and true to nature (embossed in register).

2. WEAR RESISTANT

Vitality floors are scratch, stain and UV light resistant. The top layer offers the best possible protection against micro scratches and stains. And you don't need to worry about discolouration.

3. WATER RESISTANT


Thanks to the unique Aqua Protect coating technology, your laminate floor is completely water resistant. Vitality is the perfect flooring solution for all areas in your home, including kitchens and bathrooms.

4. ANTI-STATIC

Vitality floors receive a permanent anti-static treatment, so static electricity charges cannot accumulate anymore, even in dry climate conditions. Anti-static surfaces are easier to clean as dirt and dust adhere less to the floor.

5. RELIABLE CLICK SYSTEMS

With Uniclic and FitXpress, installation is a piece of cake. Each click system ensures a strong and seamless transition from one plank to the next.



6. SUSTAINABLE

Vitality floors are made in Belgium, using the best raw materials and sustainable production processes. They carry several quality labels:



EU ECOLABEL

UNILIN was the first to receive the European Ecolabel for laminate flooring. The EU Ecolabel is a label of environmental excellence that is awarded to products and services meeting high environmental standards throughout their lifecycle.



Vitality is friends with the environment. All Vitality laminate floors carry the PEFC label, which is your guarantee of responsible forestry management and conservation: for every tree we chop down, we plant a new one.



The results of the VOC emissions are globalised and expressed in a 4-class scale from A+ (very low emissions) to C (high level of emissions). Vitality has successfully passed the test and has obtained an A+ score.



CE is a certification mark that indicates conformity with health, safety and environmental protection standards for products sold within the European Economic Area.

Made in Belgium

vitalitysuperb

THE MOST DURABLE VITALITY FLOOR EVER



AC5 CLASS 32





SPB00388AP MACADAMIA OAK



SPB00408AP BISCUIT OAK



SPB00375AP PAMPLONA OAK



SPB00349AP VENETIAN OAK




SPB00390AP OAK BARRIQUE



vitalitylungo

THE VITALITY FLOOR WITH LONG PLANKS





LUN00127 PEARL OAK



LUN00123 GLOOM OAK



LUN00122 APRICOT OAK



LUN00120 TAYLOR OAK



4V-GROOVES

AC4 CLASS 32

20-YEAR

NATURAL TOUCH STRUCTURE

RESIDENTIAL WARRANTY

LUN00121 MISTY OAK



LUN00126 MARRONE OAK




LUN00124 SUNKISSED OAK



LUN00125 RAVEN OAK

vitalityjumbo

THE VITALITY FLOOR WITH WIDE PLANKS



8 MM

WIDE PLANKS:

1261 X 244 MM

JUM00430AP LOFT OAK (1)

JUMO0403AP WADI RUM OAK (1)



JUMOO133AP SALT LAKE OAK (2)



JUM00428AP SPRING SNOW OAK (1)



JUMO0391AP GARDA OAK (1)



JUMO0221AP TAYLOR OAK (2)



JUMO0421AP SAND OAK (1)



JUMO0426AP URBAN OAK (1)

vitalitystyle

STYLISH DESIGNS, REALISTIC STRUCTURES

> 8 MM STANDARD PLANKS: 1261 X 192 MM



4V-GROOVES



AC4 CLASS 32 UNICLIC

20-YEAR RESIDENTIAL WARRANTY (3-YEAR WET WARRANTY)









STY00177 FROZEN OAK



STY00135 SUN BLEACHED OAK



STY00178 REFINED MODERN OAK



STY00175 BRANDON OAK



STY00174 HONEY OAK



STY00179 MOUNTAIN GREY OAK



STY00149 OCEAN GREY OAK















STY00148 BLACK OAK

vitalitydeluxe

AVAILABLE WITH OR WITHOUT V-GROOVES STANDARD PLANKS: 1261 X 192 MM

WATER RESISTANT



AVAILABLE FLAT (DEF) OR WITH 4V-GROOVES (DEV

TRUE TO NATURE STRUCTURE (1) NATURAL TOUCH STRUCTURE (2)

AC4 CLASS 32 UNICLIC

20-YEAR **RESIDENTIAL WARRANTY** (3-YEAR WET WARRANTY)







DEFO0377 - DEVO0377 BLEACHED OAK (2)



DEFO0378 - DEVO0378 NATURAL VARNISHED OAK (1) DEFO0213 - DEVO0213 SUMI OAK (2)



DEF00387 - DEV00387 SUNSET OAK (1)





DEF00386 - DEV00386 SANDSTORM OAK (1)





DEFO0211 - DEVO0211 IPANEMA OAK (2)





DEFO0379 - DEVO0379 AVENUE OAK (1)



DEFO0411 - DEVO0411 TASMANIAN OAK (1)



DEFO0410 - DEVO0410 SELECT WALNUT (2)

vitalityoriginal

BEAUTIFUL DESIGNS FOR EVERY BUDGET



1261 X 192 MM

FLAT, NO GROOVES

NATURAL TOUCH STRUCTURE

AC4 CLASS 32 UNICLIC

15-YEAR **RESIDENTIAL WARRANTY**



ORIO0127 PEARL OAK




ORIO0385 SILVER ASH



ORIO0180 STERLING OAK



ORIO0121 MISTY OAK



ORIO0384 AVENUE OAK



ORIO0332 CORNFIELD GREIGE OAK



ORIO0383 NATURAL VARNISHED OAK



ORIO0409 BLOND OAK



ORIO0341 SALTON NATURAL OAK



ORIO0382 CHÂTEAU OAK



ORIO0297 ACACIA SMOKED 2-strip



ORIO0395 AVIGNON OAK 2-strip



ORIO0294 MERBAU SELECT 2-strip



ORIO0410 SELECT WALNUT

SmartFinish® accessories A TOTAL SOLUTION FOR YOUR VITALITY FLOOR


> Skirtings





Skirting

2400 X 58 X 12 MM



- High-quality SmartFinish skirtings
- Moisture resistant by using our SmartFinish Aqua Protect kit
- Designs matching with your floor

>Profiles











Expansion profile

- High-quality and multifunctional • 4 applications in 1 single product
- Wear & scratch resistant
- Moisture resistant by using our SmartFinish Aqua Protect kit
- · Designs matching with your floor
- Delivered with SmartFinish cutter







Transition profile

>Underlay




A SmartFinish underlay is indispensable before installing a Vitality laminate floor:

- Levelling of subfloor irregularities
- Effective sound reduction: -19 dB
- Support & protection of your floor
- Efficient thermal resistance
- Compatible with underfloor heating

>Aqua Protect







Use the SmartFinish Aqua Protect kit for a water resistant finish

Prevent moisture from seeping below the floor at edges: the SmartFinish Aqua Protect kit ensures a watertight and transparent sealing of connection joints between skirting boards and walls, along walls, radiator pipes and profiles.



COLLECTION	THICKNESS	PLANK SIZE	WATER RESISTANCE	GROOVES	STRUCTURE	WEAR CLASS	ANTI-STATIC	CLICK SYSTEM	RESIDENTIAL WARRANTY	WET WARRANTY
Superb	12 mm	Standard	Aqua Protect	4V	True to nature	AC5	•	UNICLIC PATENTES TECHNOLOGY	25 Y	3 Y
Lungo	8 mm	Long & wide	-	4V	Natural touch	AC4	4	FITXPRESS	20 Y	-
	8 mm	Wide	Aqua Protect	4V	True to nature Natural touch	AC4	4	UNICLIC S	20 Y	3 Y
Style	8 mm	Standard	Aqua Protect available	4V	True to nature	AC4	4	UNICLIC C	20 Y	(3 Y)
Deluxe	8 mm	Standard	Aqua Protect available	Flat or 4V	True to nature Natural touch	AC4	•	UNICLIC S	20 Y	(3 Y)
Original	7 mm	Standard	-	Flat	Natural touch	AC4	4	UNICLIC ©	15 Y	-

